ELSEVIER

Volume 221, Numbers 1–2, 15 April 1995

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

A simple method for estimating the viscosity of molten metallic alloys. L1
R.P. Chhabra (Sydney, NSW, Australia)

Preparation and characterization of ultrafine powders of the Ag–Cu Alloy by γ-radiation method L4
Y. Zhu, Y. Qian, M. Zhang, Y. Li, Z. Chen, G. Zhou (Anhui, People's Republic of China)

Crystal structure of $EuAu_2Al_2$ L6
B. Xue, F. Hulliger, H. Schwer (Zürich, Switzerland)

Lattice constants and nonstoichiometry of WB_{2-x} L8
S. Otani, H. Ohashi, Y. Ishizawa (Ibaraki, Japan)

On new Mo_2FeB_2-type representatives Ln_2Rh_2In. L11
F. Hulliger (Zürich, Switzerland)

Regular Papers

Properties of polycrystalline $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ prepared under different conditions. 1
R.F. Jardim, E.A. Early, M.B. Maple (La Jolla, CA, USA)

A new cluster concept and its application to quasi-crystals of the i-AlMnSi family and closely related crystalline structures 15
G. Kreiner (Dortmund, Germany), H.F. Franzen (Ames, IA, USA)

Standard enthalpies of formation of some borides of Ce, Pr, Nd and Gd by high-temperature reaction calorimetry 37
S.V. Meschel, O.J. Kleppa (Chicago, IL, USA)

Hybridization effects in $U_2(Re,Os)B_6$ and $U(Ru,Os)B_4$ 42
J.J. Rieger, A. Mielke, E.-W. Scheidt, G.R. Stewart (Augsburg, Germany)

Standard enthalpies of formation of gadolinium alloys, Gd + Me (Me ≡ Ni, Ru, Rh, Pd, Ir, Pt), by high-temperature direct synthesis calorimetry 45
Q. Guo, O.J. Kleppa (Chicago, IL, USA)

Standard enthalpies of formation of terbium alloys, Tb + Me (Me ≡ Ni, Ru, Rh, Pd, Ir, Pt), by high-temperature direct synthesis calorimetry 50
Q. Guo, O.J. Kleppa (Chicago, IL, USA)

Neutron structural studies on Sr-free 2:2:0:1 phase $Bi_2(Ca_{0.65}Nd_{0.35})_2CuO_y$. 56
A. Sequeira, H. Rajagopal, P.V.P.S.S. Sastry, J.V. Yakhmi (Bombay, India)

Structure and magnetic properties of $R(FeVB)_{12}$ compounds 60
Y.C. Chuang, D. Zhang, T. Zhao, Z.D. Zhang, W. Liu, X.G. Zhao, X.K. Sun (Shenyang, People's Republic of China), F.R. de Boer (Amsterdam, Netherlands)

$BaCu_6P_2$ and $BaCu_6As_2$ – two compounds with a periodic intergrowth of $ThCr_2Si_2$ and Cu structure-type segments 65
J. Dünner, A. Mewis (Köln, Germany)

High coercivity Ba hexaferrite prepared by mechanical alloying. 70
J. Ding, H. Yang, W.F. Miao, P.G. McCormick, R. Street (Nedlands, Australia)

Thermodynamics of liquid binary alloys of the 3d transition metals with metalloids: generalization. 74
V.T. Witusiewicz (Kyyiv, Ukraine)

A structural investigation of V_2B_3 by single-crystal diffractometry 86
Y. Yu, L.-E. Tergenius, T. Lundström (Uppsala, Sweden), S. Okada (Yokohama, Japan)

Crystal structure of the compound $Nd_5Ag_{0.5}Si_{3.5}$ 91
J. Stepen'-Damm (Wroclaw, Poland), O.V. Zaplatynsky, Yu.M. Prots', P.S. Salamakha, O.I. Bodak (L'viv, Ukraine)

Elsevier Science S.A.

Magnetic properties of $RFe_{11.4}Nb_{0.6}$ and $RFe_{11.4}Nb_{0.6}N_x$ compounds (R = Y, Gd) 94
K.-Y. Wang, Y.-Z. Wang, B.-P. Hu, W.-Y. Lai, Z.-X. Wang (Beijing, People's Republic of China)

The isothermal section (500 °C) of the Gd–Cu–Ni ternary phase diagram 98
H. Zhou, Y. Zhuang (Nanning, People's Republic of China), Z. Gu (Guilin, People's Republic of China)

Nuclear magnetic resonance of neodymium in $NdFe_{11}TiN_x$ 102
Cz. Kapusta, H. Figiel (Cracow, Poland), X.C. Kou, G. Wiesinger (Vienna, Austria), J.S. Lord, P.C. Riedi (St. Andrews, UK), K.H.J. Buschow (Amsterdam, Netherlands)

Nuclear magnetic resonance study of $Nd_2Fe_{17}N_x$ 105
Cz. Kapusta (Cracow, Poland), J.S. Lord, P.C. Riedi (St. Andrews, UK), K.H.J. Buschow (Amsterdam, Netherlands)

Phase relations in the Ag–Fe–Ti system at 1123 K 108
J.A. van Beek, A.A. Kodentsov, F.J.J. van Loo (Eindhoven, Netherlands)

Magnetic properties of high-energy ball-milled and HDDR processed $Nd_{12}Fe_{75-y}Co_yMo_{13}$ ($0 \leq y \leq 75$) powders and their nitrides 114
M. Jurczyk, P.B. Gwan, S.J. Collocott (Lindfield, NSW, Australia)

Rietveld analysis of LiB_{13} with β-rhombohedral boron structure 120
M. Kobayashi, I. Higashi (Wako, Saitama, Japan), H. Matsuda, K. Kimura (Tokyo, Japan)

$YbAgGa_2$: synthesis, crystal structure and magnetic behaviour. 125
Yu. Grin (Wien, Austria), M. Ellner (Stuttgart, Germany), K. Hiebl (Wien, Austria), B. Baumgartner (Darmstadt, Germany), P. Rogl (Wien, Austria)

Interstitial sites in the hydrogen-inactive intermetallic compounds $ZrPd_2$ and UPd_3 129
I. Jacob, O. Beeri, E. Elish (Beer Sheva, Israel)

Investigation of the magnetic properties and ^{57}Fe Mössbauer Effect in $DyFe_4Ge_2$ 133
A.M. Mulders, P.C.M. Gubbens (Delft, Netherlands), Q.A. Li, F.R. de Boer, K.H.J. Buschow (Amsterdam, Netherlands)

The crystal structures of the closely related $CrSn_2$, $NiCr_5Sn_{12}$ and $NiCr_3Sn_8$ phases 136
A.-K. Larsson, S. Lidin (Lund, Sweden)

The Pt–In system: enthalpies of formation of liquid and solid alloys 143
P. Anres, M. Gaune-Escard (Marseille, France), E. Hayer (Vienna, Austria), J.P. Bros (Marseille, France)

Selected high-temperature studies of the molybdenum–palladium system 153
L.A. Cornish, J.N. Pratt (Birmingham, UK)

The phase diagram of the U–Sn system 157
A. Palenzona, P. Manfrinetti (Genova, Italy)

Heat content and heat of formation measurements of $RNi_{5\pm x}$ alloys (R≡La, Ce, Pr or Nd) and heat balance in a reduction–diffusion process 161
K. Yamaguchi (Morioka, Japan), D.-Y. Kim, M. Ohtsuka, K. Itagaki (Sendai, Japan)

On the structural and hydrogen sorption properties of the $GdNi_{5-x}Al_x$ system 169
B. Šorgić, A. Drašner, Ž. Blažina (Zagreb, Croatia)

Self-discharge characteristics of sealed Ni–MH batteries using $Zr_{1-x}Ti_xV_{0.8}Ni_{1.6}$ anodes 174
J.-H. Lee, K.-Y. Lee (Taejon, South Korea), S.-M. Lee (Kangwondo, South Korea), J.-Y. Lee (Taejon, South Korea)

The HDDR behaviour of crystalline and amorphous rapidly quenched Nd–Fe–B. 180
D. Book, I.R. Harris (Birmingham, UK), A. Manaf, I. Ahmad, H.A. Davies (Sheffield, UK)

Hydrogen absorption/desorption and HDDR studies on $Nd_{16}Fe_{76}B_8$ and $Nd_{11.8}Fe_{82.3}B_{5.9}$. 187
D. Book, I.R. Harris (Birmingham, UK)

Magnetooptical properties of YIG:Sc single crystals 193
J. Ostoréro, M. Escorne, D. Rouet (Meudon, France)

Investigation of the magnetic properties and ^{57}Fe Mössbauer effect in $DyFe_4Ge_2$. 197
A.M. Mulders, P.C.M. Gubbens (Delft, Netherlands), Q.A. Li, F.R. de Boer, K.H.J. Buschow (Amsterdam, Netherlands)

Correlation between the electronic structure and hydrogen absorption characteristics in rare earth intermetallic compound hydrides 200
T. Suenobu (Osaka, Japan), I. Tanaka, H. Adachi (Kyoto, Japan), G.-Y. Adachi (Osaka, Japan)

Influence of electrode thickness on charge–discharge behaviour of AB_5-type metal hydride electrodes 207
A. Züttel, F. Meli, L. Schlapbach (Fribourg, Switzerland)

The local structure around hydrogen atoms in a hydrogenated amorphous $LaNi_{5.0}$ film studied by neutron diffraction 212
H. Sakaguchi, T. Suenobu, K. Moriuchi (Osaka, Japan), M. Yamagami, T. Yamaguchi (Fukuoka, Japan), G.-Y. Adachi (Osaka, Japan)

Electron spin resonance studies on locally additive low symmetry distortions in the mixed-crystal $Sr_{1-x}Ba_xF_2$ system monitored with Eu^{2+} dopants 218
K. Kawano, H. Akahane, R. Nakata, M. Sumita (Tokyo, Japan)

The growth of Ni_5Al_3 in $L1_0$ martensite studied by in situ transmission electron microscopy and high resolution electron microscopy 227
D. Schryvers, Y. Ma (Antwerp, Belgium)

The rare earth rhenium aluminides $Y_{7.28}Re_{12}Al_{61.38}$ and $Ho_{7.32}Re_{12}Al_{61.48}$ 235
S. Niemann, W. Jeitschko (Münster, Germany)

Chemical trends of icosahedral order in Al–Cu–TM quasicrystals 240
R. Popescu (Bucharest, Romania), A. Jianu, M. Manciu, R. Nicula, R. Manaila (Bucharest-Magurele, POB MG, Romania)

Magnetic properties of $Sm_2Fe_{17}N_y$ with Al substituted for Fe 248
F.-M. Yang, X.-W. Li, N. Tang, J.-L. Wang, Z.-H. Lu, T.-Y. Zhao, Q.-A. Li (Beijing, People's Republic of China), J.P. Liu, F.R. de Boer (Amsterdam, Netherlands)

Magnetic ordering of TbCoSn and HoCoSn studied by neutron diffraction and magnetic measurements 254
G. André (Gif-sur-Yvette, France), W. Bażela (Kraków, Poland), F. Bourée (Gif-sur-Yvette, France), M. Guillot (Grenoble, France), A. Oleś, W. Sikora, A. Szytuła (Kraków, Poland), A. Zygmunt (Wrocław, Poland)

Diffusion of Ag in Bi(Pb)-Sr-Ca-Cu-O superconductors 264
T.D. Dzhafarov, H. Cömert, M. Altunbaş, Ü. Alver, T. Küçükömeroğlu, A.İ. Kopya (Trabzon, Turkey)

Removal of alloying elements from zirconium alloys by hydrogen plasma-arc melting 267
K. Mimura, S.-W. Lee, M. Isshiki (Sendai, Japan)

Structure, magnetic susceptibility and heat capacity of $ScMnO_3$ 274
H.W. Xu, J. Iwasaki, T. Shimizu, H. Satoh, N. Kamegashira (Toyohashi, Japan)

Electrical resistivity of the RMBi phases with R = Ca, Yb and M = Cu, Ag, Au 280
F. Merlo, M. Pani, M.L. Fornasini (Genova, Italy)

Passivation behavior of AB_5-type hydrogen storage alloys for battery electrode application 284
F. Meli, T. Sakai, A. Züttel, L. Schlapbach (Fribourg, Switzerland)

Author Index 291

Subject Index 293

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.